

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Provider Number	Nursing Home Name	Street
145887	WAUCONDA HEALTHCARE AND REHAB	176 THOMAS COURT
145816	LEXINGTON OF LAKE ZURICH	900 SOUTH RAND ROAD



Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

City	State	ZIP Code	Phone Number
WAUCONDA	IL	60084	8475265551
LAKE ZURICH	IL	60047	8477261200



Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Percent of long-stay residents whose need for help with daily activities has increased	Footnote-1
 2.5%	
 33.6%	



Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Percent of long-stay residents who self-report moderate to severe pain	Footnote-2
 9.8%	
 1.5%	



Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Percent of long-stay high-risk residents with pressure ulcers	Footnote-3
 1.4%	
 2.9%	



Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Percent of long-stay residents who lose too much weight	Footnote-4
 6.8%	
 9.2%	

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Percent of long-stay low-risk residents who lose control of their bowels or bladder	Footnote-5
 53.1%	
 65.5%	

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Percent of long-stay residents who have had a catheter inserted and left in their bladder

 2.6%

 3.3%


Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-6	Percent of long-stay residents with a urinary tract infection
	2.3%
	2.6%

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)



Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-8	Percent of long-stay residents who were physically restrained
	0%
	0%

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-9	Percent of long-stay residents experiencing one or more falls with major injury
	3.3%
	2.6%

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-10

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Percent of long-stay residents assessed and given, appropriately, the seasonal influenza vaccine



Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-11

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Percent of long-stay residents assessed and given, appropriately, the pneumococcal vaccine

97.8%

93.5%

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-12	Percent of short-stay residents who self-report moderate to severe pain
	<div></div> 13.1%
	<div></div> 25%

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-13	Percent of short-stay residents with Pressure ulcers that are new or worsened
	1.1%
	0%

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-14

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Percent of short-stay residents assessed and given, appropriately, the seasonal influenza vaccine



Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-15

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Percent of short-stay residents assessed and given, appropriately, the pneumococcal vaccine

99.4%

89.9%

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-16	Percent of short-stay residents who newly received an antipsychotic medication
	2.2%
	0.5%

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-17	Percent of long-stay residents who received an antipsychotic medication
	<div></div> 18.9%
	<div></div> 17.3%

Compare Quality Measures - 145887 to 145816

Based on Nursing Home Compare - Quality Measures (Q1)

Footnote-18